



Model # T10RC


HARDWARE



5/16" x 1"
Machine Bolt



5/16" Washer



5/16" Washer

PRODUCT SPECIFICATIONS

T10RC PORTABLE PICNIC TABLE WALK THROUGH DESIGN

Seat & Back: 2" x 2" x 1/8" formed angle frame with 1-1/2" radius corners. 3/4" #9 steel expanded metal. 7 gauge x 1-1/2" flat bar center support and mounting bracket understructure. Electrically MIG welded.

Coating: Oven fused functionalized polyethylene copolymer-based thermoplastic. Fluidized bed coating application with superior mechanical performance, impact resistance and UV-stability.


Frame: 2-3/8" O.D. x 12 gauge pre-galvanized structural steel tubing. Cross braces 1" O.D. x 16 gauge pre-galvanized structural steel tubing. Brace attachment points 1-1/2"x1-1/2"x3/16" steel angle. Seat and top mounting points 7 gauge x 1-1/2" die stamped steel flat bar. Legs are bent over a mandrel through the bend radius producing a wrinkle free bend. Holes are predrilled in legs for optional surface mounting. All electrically MIG welded.

Frame Coating: Electrostatic powder coated application oven cured.

Hardware: All stainless steel hardware fasteners.


Dimensions: 10' portable picnic table walk-through design. Each top is 30" wide x 60-1/8" long x 30-13/16" high. Each seat is 10" wide x 60-1/8" long x 18-13/16" high. Outside to outside dimensions are 67-1/2" x 120-1/4".

COMPONENTS




| ITEM NO. | PartNo | DESCRIPTION | QTY |
|----------|--------------|---|-----|
| 1 | RC60-T | 5' regal expanded top (1/2) | 2 |
| 2 | P-V238 | 238 Vinyl Frame | 3 |
| 3 | RC60-S | 5' x 10" wide regal expanded seat (1/2) | 4 |
| 4 | P-01-04-0125 | 29 7/8" Brace | 3 |
| 5 | P-01-04-0219 | 32 3/4" Brace | 1 |
| 6 | 33-02-0007 | 5/16" SS Washer | 62 |
| 7 | 33-05-0029 | 5/16" x 1" Machine Bolt (SS) | 31 |
| 8 | 33-03-0012 | 5/16" Kep Nut (SS) | 31 |

STEP 1




Attach the top to the top legs as shown using specified hardware.

STEP 2



Attach the braces to the frame and under side of the top as shown using specified hardware.

STEP 3



Attach the seats to the frame as shown using specified hardware.

OVERALL DIMENSIONS

